

Package: fastshap (via r-universe)

August 20, 2024

Type Package

Title Fast Approximate Shapley Values

Version 0.1.1

Description Computes fast (relative to other implementations) approximate Shapley values for any supervised learning model. Shapley values help to explain the predictions from any black box model using ideas from game theory; see Strumbel and Kononenko (2014) <[doi:10.1007/s10115-013-0679-x](https://doi.org/10.1007/s10115-013-0679-x)> for details.

License GPL (>= 2)

URL <https://github.com/bgreenwell/fastshap>,
<https://bgreenwell.github.io/fastshap/>

BugReports <https://github.com/bgreenwell/fastshap/issues>

Imports foreach, Rcpp (>= 1.0.1), utils

Enhances lightgbm, xgboost

Suggests AmesHousing, covr, earth, knitr, ranger, rmarkdown, shapviz (>= 0.8.0), tibble, tinytest (>= 1.4.1)

LinkingTo Rcpp, RcppArmadillo

RoxygenNote 7.2.3

Encoding UTF-8

Depends R (>= 3.6.0)

LazyData true

Roxygen list(markdown = TRUE)

VignetteBuilder knitr

Repository <https://bgreenwell.r-universe.dev>

RemoteUrl <https://github.com/bgreenwell/fastshap>

RemoteRef HEAD

RemoteSha c2fcaf794c9cd9117178d338db68e67fb13d487d

Contents

| | |
|------------------------|---|
| explain | 2 |
| gen_friedman | 6 |
| titanic | 7 |
| titanic_mice | 7 |

| | |
|--------------|----------|
| Index | 9 |
|--------------|----------|

| | |
|---------|--|
| explain | <i>Fast approximate Shapley values</i> |
|---------|--|

Description

Compute fast (approximate) Shapley values for a set of features using the Monte Carlo algorithm described in Strumbelj and Igor (2014). An efficient algorithm for tree-based models, commonly referred to as Tree SHAP, is also supported for `lightgbm` and `xgboost` models; see Lundberg et. al. (2020) for details.

Usage

```
explain(object, ...)

## Default S3 method:
explain(
  object,
  feature_names = NULL,
  X = NULL,
  nsim = 1,
  pred_wrapper = NULL,
  newdata = NULL,
  adjust = FALSE,
  baseline = NULL,
  shap_only = TRUE,
  parallel = FALSE,
  ...
)

## S3 method for class 'lm'
explain(
  object,
  feature_names = NULL,
  X,
  nsim = 1,
  pred_wrapper,
  newdata = NULL,
  adjust = FALSE,
  exact = FALSE,
```

```

    baseline = NULL,
    shap_only = TRUE,
    parallel = FALSE,
    ...
)

## S3 method for class 'xgb.Booster'
explain(
  object,
  feature_names = NULL,
  X = NULL,
  nsim = 1,
  pred_wrapper,
  newdata = NULL,
  adjust = FALSE,
  exact = FALSE,
  baseline = NULL,
  shap_only = TRUE,
  parallel = FALSE,
  ...
)

## S3 method for class 'lgb.Booster'
explain(
  object,
  feature_names = NULL,
  X = NULL,
  nsim = 1,
  pred_wrapper,
  newdata = NULL,
  adjust = FALSE,
  exact = FALSE,
  baseline = NULL,
  shap_only = TRUE,
  parallel = FALSE,
  ...
)

```

Arguments

| | |
|---------------|---|
| object | A fitted model object (e.g., a <code>ranger::ranger()</code> , <code>xgboost::xgboost()</code> , or <code>earth::earth()</code> object, to name a few). |
| ... | Additional optional arguments to be passed on to <code>foreach::foreach()</code> whenever <code>parallel = TRUE</code> . For example, you may need to supply additional packages that the parallel task depends on via the <code>.packages</code> argument to <code>foreach::foreach()</code> . NOTE: <code>foreach::foreach()</code> 's <code>.combine</code> argument is already set internally by <code>explain()</code> , so passing it via the <code>...</code> argument would likely result in an error. |
| feature_names | Character string giving the names of the predictor variables (i.e., features) of |

| | |
|---------------------------|--|
| | interest. If NULL (default) they will be taken from the column names of X . |
| X | A matrix-like R object (e.g., a data frame or matrix) containing ONLY the feature columns from the training data (or suitable background data set). NOTE: This argument is required whenever <code>exact = FALSE</code> . |
| <code>nsim</code> | The number of Monte Carlo repetitions to use for estimating each Shapley value (only used when <code>exact = FALSE</code>). Default is 1. NOTE: To obtain the most accurate results, <code>nsim</code> should be set as large as feasibly possible. |
| <code>pred_wrapper</code> | Prediction function that requires two arguments, <code>object</code> and <code>newdata</code> . NOTE: This argument is required whenever <code>exact = FALSE</code> . The output of this function should be determined according to: <p>Regression A numeric vector of predicted outcomes.</p> <p>Binary classification A vector of predicted class probabilities for the reference class.</p> <p>Multiclass classification A vector of predicted class probabilities for the reference class.</p> |
| <code>newdata</code> | A matrix-like R object (e.g., a data frame or matrix) containing ONLY the feature columns for the observation(s) of interest; that is, the observation(s) you want to compute explanations for. Default is NULL which will produce approximate Shapley values for all the rows in X (i.e., the training data). |
| <code>adjust</code> | Logical indicating whether or not to adjust the sum of the estimated Shapley values to satisfy the <i>local accuracy</i> property; that is, to equal the difference between the model's prediction for that sample and the average prediction over all the training data (i.e., X). Default is FALSE and setting to TRUE requires <code>nsim > 1</code> . |
| <code>baseline</code> | Numeric baseline to use when adjusting the computed Shapley values to achieve <i>local accuracy</i> . Adjusted Shapley values for a single prediction (fx) will sum to the difference $fx - baseline$. Defaults to NULL, which corresponds to the average predictions computed from X , and zero otherwise (i.e., no additional predictions will be computed and the baseline attribute of the output will be set to zero). |
| <code>shap_only</code> | Logical indicating whether or not to include additional output useful for plotting (i.e., <code>newdata</code> and the baseline value.). This is convenient, for example, when using <code>shapviz::shapviz()</code> for plotting. Default is TRUE. |
| <code>parallel</code> | Logical indicating whether or not to compute the approximate Shapley values in parallel across features; default is FALSE. NOTE: setting <code>parallel = TRUE</code> requires setting up an appropriate (i.e., system-specific) <i>parallel backend</i> as described in the <code>foreach</code> ; for details, see <code>vignette("foreach", package = "foreach")</code> in R. |
| <code>exact</code> | Logical indicating whether to compute exact Shapley values. Currently only available for <code>stats::lm()</code> , <code>xgboost::xgboost()</code> , and <code>lightgbm::lightgbm()</code> objects. Default is FALSE. Note that setting <code>exact = TRUE</code> will return explanations for each of the <code>stats::terms()</code> in an <code>stats::lm()</code> object. Default is FALSE. |

Value

If `shap_only = TRUE` (the default), a matrix is returned with one column for each feature specified in `feature_names` (if `feature_names = NULL`, the default, there will be one column for each feature in `X`) and one row for each observation in `newdata` (if `newdata = NULL`, the default, there will be one row for each observation in `X`). Additionally, the returned matrix will have an attribute called "baseline" containing the baseline value. If `shap_only = FALSE`, then a list is returned with three components:

- `shapley_values` - a matrix of Shapley values (as described above);
- `feature_values` - the corresponding feature values (for plotting with `shapviz::shapviz()`);
- `baseline` - the corresponding baseline value (for plotting with `shapviz::shapviz()`).

Note

Setting `exact = TRUE` with a linear model (i.e., an `stats::lm()` or `stats::glm()` object) assumes that the input features are independent. Also, setting `adjust = TRUE` is experimental and we follow the same approach as in [shap](#).

References

Strumbelj, E., and Igor K. (2014). Explaining prediction models and individual predictions with feature contributions. *Knowledge and information systems*, 41(3), 647-665.

Lundberg, S. M., Erion, G., Chen, H., DeGrave, A., Prutkin, J. M., Nair, B., Katz, R., Himmelfarb, J., Bansal, N., and Lee, Su-In (2020). From local explanations to global understanding with explainable AI for trees. *Nature Machine Intelligence*, 2(1), 2522–5839.

See Also

You can find more examples (with larger and more realistic data sets) on the **fastshap** GitHub repository: <https://github.com/bgreenwell/fastshap>.

Examples

```
#
# A projection pursuit regression (PPR) example
#

# Load the sample data; see ?datasets::mtcars for details
data(mtcars)

# Fit a projection pursuit regression model
fit <- ppr(mpg ~ ., data = mtcars, nterms = 5)

# Prediction wrapper
pfun <- function(object, newdata) { # needs to return a numeric vector
  predict(object, newdata = newdata)
}

# Compute approximate Shapley values using 10 Monte Carlo simulations
set.seed(101) # for reproducibility
```

```
shap <- explain(fit, X = subset(mtcars, select = -mpg), nsim = 10,  
               pred_wrapper = pfun)  
head(shap)
```

gen_friedman

Friedman benchmark data

Description

Simulate data from the Friedman 1 benchmark problem. These data were originally described in Friedman (1991) and Breiman (1996). For details, see [sklearn.datasets.make_friedman1](#).

Usage

```
gen_friedman(  
  n_samples = 100,  
  n_features = 10,  
  n_bins = NULL,  
  sigma = 0.1,  
  seed = NULL  
)
```

Arguments

| | |
|------------|--|
| n_samples | Integer specifying the number of samples (i.e., rows) to generate. Default is 100. |
| n_features | Integer specifying the number of features to generate. Default is 10. |
| n_bins | Integer specifying the number of (roughly) equal sized bins to split the response into. Default is NULL for no binning. Setting to a positive integer > 1 effectively turns this into a classification problem where n_bins gives the number of classes. |
| sigma | Numeric specifying the standard deviation of the noise. |
| seed | Integer specifying the random seed. If NULL (the default) the results will be different each time the function is run. |

Note

This function is mostly used for internal testing.

References

Breiman, Leo (1996) Bagging predictors. *Machine Learning* 24, pages 123-140.
Friedman, Jerome H. (1991) Multivariate adaptive regression splines. *The Annals of Statistics* 19 (1), pages 1-67.

Examples

```
gen_friedman()
```

| | |
|---------|---------------------------------------|
| titanic | <i>Survival of Titanic passengers</i> |
|---------|---------------------------------------|

Description

A data set containing the survival outcome, passenger class, age, sex, and the number of family members for a large number of passengers aboard the ill-fated Titanic.

Usage

```
titanic
```

Format

A data frame with 1309 observations on the following 6 variables:

survived binary with levels "yes" for survived and "no" otherwise;

pclass integer giving the corresponding passenger (i.e., ticket) class with values 1–3;

age the age in years of the corresponding passenger (with 263 missing values);

sex factor giving the sex of each passenger with levels "male" and "female";

sibsp integer giving the number of siblings/spouses aboard for each passenger (ranges from 0–8);

parch integer giving the number of parents/children aboard for each passenger (ranges from 0–9).

Note

As mentioned in the column description, age contains 263 NAs (or missing values). For a complete version (or versions) of the data set, see [titanic_mice](#).

Source

<https://hbiostat.org/data/>.

| | |
|--------------|---------------------------------------|
| titanic_mice | <i>Survival of Titanic passengers</i> |
|--------------|---------------------------------------|

Description

The [titanic](#) data set contains 263 missing values (i.e., NA's) in the age column. This version of the data contains imputed values for the age column using *multivariate imputation by chained equations* via the [mice](#) package. Consequently, this is a list containing 11 imputed versions of the observations contained in the [titanic](#) data frame; each completed data sets has the same dimension and column structure as [titanic](#).

Usage

```
titanic_mice
```

Format

An object of class `mild` (inherits from `list`) of length 21.

Source

Greenwell, Brandon M. (2022). *Tree-Based Methods for Statistical Learning in R*. CRC Press.

Index

* datasets

titanic, 7

titanic_mice, 7

earth::earth(), 3

explain, 2

foreach::foreach(), 3

gen_friedman, 6

lightgbm::lightgbm(), 4

ranger::ranger(), 3

shapviz::shapviz(), 4, 5

stats::glm(), 5

stats::lm(), 4, 5

stats::terms(), 4

titanic, 7, 7

titanic_mice, 7, 7

xgboost::xgboost(), 3, 4